

**ENR 1.14 AIR TRAFFIC INCIDENTS**

**1. Definition of air traffic incidents**

1.1. "Air traffic incident" is used to mean a serious occurrence related to the provision of air traffic services, such as:

- a) aircraft proximity (AIRPROX);
- b) serious difficulty resulting in a hazard to aircraft caused, for example, by:
  - 1) faulty procedures
  - 2) non-compliance with procedures, or
  - 3) failure of ground facilities.

1.1.1. Definitions for aircraft proximity and AIRPROX.

**Aircraft proximity.** A situation in which, in the opinion of the pilot or the air traffic services personnel, the distance between aircraft, as well as their relative positions and speed, has been such that the safety of the aircraft involved may have been compromised. Aircraft proximity is classified as follows:

*Risk of collision.* The risk classification of aircraft proximity in which serious risk of collision has existed.

*Safety not assured.* The risk classification of aircraft proximity in which the safety of the aircraft may have been compromised.

*No risk of collision.* The risk classification of aircraft proximity in which no risk of collision has existed.

*Risk not determined.* The risk classification of aircraft proximity in which insufficient information was available to determine the risk involved, or inconclusive or conflicting evidence precluded such determination.

**AIRPROX.** The code work used in air traffic incident report to designate aircraft proximity.

1.2. Air traffic incidents are designated and identified in reports as follows:

<i>Type</i>	<i>Designation</i>
Air traffic incident	Incident
as a) above	AIRPROX (aircraft proximity)
as b) 1) and 2) above	Procedure
as b) 3) above	Facility

**2. Use of the Air-Traffic Incident Report Form (See model on pages ENR 1.14-3 to 1.14-7)**

The Air Traffic Incident Report Form is intended for use:

- a) by a pilot for filing a report on an air traffic incident after arrival or for confirming a report made initially by radio during flight.

*Note. – The form, if available on board, may also be of use in providing a pattern for making the initial report in flight.*

- b) by an ATS unit for recording an air traffic incident report received by radio, telephone, fax or E-mail.

*Note. – The form may be used as the format for the text of a message to be transmitted over the AFS network.*

**3. Reporting procedures (including in-flight procedures)**

3.1. The following are the procedures to be followed by a pilot who is or has been involved in an incident:

- a) during flight, use the appropriate air/ground frequency for reporting an incident of major significance, particularly if it involves other aircraft, so as to permit the facts to be ascertained immediately;
- b) as promptly as possible after landing, submit a completed Air Traffic Incident Report Form
  - 1) for confirming a report of an incident made initially as in a) above, or for making the initial report on such an incident if it has not been possible to report it by radio;
  - 2) for reporting an incident which did not require immediate notification at the time of occurrence.

3.2. An initial report made by radio should contain the following information:

- a) aircraft identification;
- b) type of incident, e.g. aircraft proximity;
- c) the incident; 1. a) and b); 2. a), b), c), d), n); 3. a), b), c), I); 4. a), b);
- d) miscellaneous: 1. e).

3.3. The confirmatory report of an incident of major significance initially reported by radio or the initial report on any other incident should be submitted to the following:

3.3.1 **Director General of Civil Aviation Authority**

GOLAN Building, Golan St. P.O.BOX 1101,  
Airport-City, 70151  
ISRAEL

Tel: 972-3-9774555

Fax: 972-3-9774599

3.3.2 **Chief Investigator or Investigator**

See GEN 1.1 par. 8:

Aircraft Accidents and Incidents Investigation

**4. Purpose of reporting and handling of the form**

4.1 The purpose of the reporting of aircraft proximity incidents and their investigation is to promote the safety of aircraft. The degree of risk involved in an aircraft proximity incident should be determined in the incident investigation and classified as “risk of collision”, “safety not assured”, “no risk of collision” or “risk not determined”.

4.2 The purpose of the form is to provide investigatory authorities with as complete information on an air traffic incident as possible and to enable them to report back, with the least possible delay to the pilot or operator concerned, the result of the investigation of the incident and, if appropriate, the remedial action taken.

**5. Removal of disabled aircraft from an accident site**

Any aircraft involved in an accident shall be removed from the accident site only after obtaining permission of the chief investigator of aircraft accidents/incidents, or from the head of the investigation committee.

**AIR TRAFFIC INCIDENT REPORT FORM**

*For use when submitting and receiving reports on air traffic incidents. In an initial report by radio, shaded items should be included.*

<b>A – AIRCRAFT IDENTIFICATION</b>	<b>B – TYPE OF INCIDENT</b>
	AIRPROX / OBSTRUCTION ON RUNWAY / RUNWAY INCURSION / PROCEDURE / FACILITY*
<b>C – THE INCIDENT</b>	
1. General	
Date/time of incident.....	UTC
Position .....	
2. Own aircraft	
a) Heading and route.....	
b) True airspeed ..... measured in ( ) kt..... ( ) km/h .....	
c) Level and altimeter setting .....	
d) Aircraft climbing or descending	
( ) Level flight	( ) Climbing
e) Aircraft bank angle	
( ) Wings level	( ) Slight bank
( ) Steep bank	( ) inverted
f) Aircraft direction of bank	
( ) Left	( ) Right
g) Restrictions to visibility (select as many as required)	
( ) Sunglare	( ) Windscreen pillar
( ) Other cockpit structure	( ) None
h) Use of aircraft lighting (select as many as required)	
( ) Navigation lights	( ) Strobe lights
( ) Red anti-collision lights	( ) Landing/taxi lights
( ) Other	( ) None
i) Traffic avoidance advice issued by ATS	
( ) Yes, based on radar	( ) Yes, based on visual sighting
( ) No	( ) Yes, based on other information
j) Traffic information issued	
( ) Yes, based on radar	( ) Yes, based on visual sighting
( ) No	( ) Yes, based on other information
k) Airborne collision avoidance system - ACAS	
( ) Not carried	( ) Type
( ) Resolution advisory issued	( ) Traffic advisory issued
( ) Resolution advisory not issued	( ) Traffic advisory or resolution advisory not issued
l) Radar identification	
( ) No radar available	( ) Radar identification
m) Other aircraft sighted	
( ) Yes	( ) No
n) Avoiding action taken	
( ) Yes	( ) No
o) Type of flight plan	IFR/VFR/none*

\* Delete as appropriate

3. Other aircraft

a) Type and call sign/registration (if known)

b) If a) above not known, describe below

- |                                      |  |                                    |
|--------------------------------------|--|------------------------------------|
| <input type="checkbox"/> High wing   | <input type="checkbox"/> Mid wing            | <input type="checkbox"/> Low wing  |
| <input type="checkbox"/> Rotor craft |  |                                    |
| <input type="checkbox"/> 1 engine    | <input type="checkbox"/> 2 engines           | <input type="checkbox"/> 3 engines |
| <input type="checkbox"/> 4 engines   | <input type="checkbox"/> More than 4 engines |                                    |

Marking colour or other available details

.....  
.....  
.....  
.....  
.....

c) Aircraft climbing or descending

- |                                       |                                   |                                     |
|---------------------------------------|-----------------------------------|-------------------------------------|
| <input type="checkbox"/> Level flight | <input type="checkbox"/> Climbing | <input type="checkbox"/> Descending |
| <input type="checkbox"/> Unknown      |                                   |                                     |

d) Aircraft bank angle

- |                                      |                                      |  |
|--------------------------------------|--------------------------------------|--|
| <input type="checkbox"/> Wings level | <input type="checkbox"/> Slight bank | <input type="checkbox"/> Moderate bank |
| <input type="checkbox"/> Steep bank  | <input type="checkbox"/> Inverted    | <input type="checkbox"/> Unknown       |

e) Aircraft direction of bank

- |                               |                                |                                  |
|-------------------------------|--------------------------------|----------------------------------|
| <input type="checkbox"/> Left | <input type="checkbox"/> Right | <input type="checkbox"/> Unknown |
|-------------------------------|--------------------------------|----------------------------------|

f) Lights displayed

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> Navigation lights         | <input type="checkbox"/> Strobe lights       | <input type="checkbox"/> Cabin lights           |
| <input type="checkbox"/> Red anti-collision lights | <input type="checkbox"/> Landing/taxi lights | <input type="checkbox"/> Logo (tail fin) lights |
| <input type="checkbox"/> Other                     | <input type="checkbox"/> None                | <input type="checkbox"/> Unknown                |

g) Traffic avoidance advice issued by ATS

- |  |  |  |
|--|--|--|
| <input type="checkbox"/> Yes, based on radar | <input type="checkbox"/> Yes, based on visual sighting | <input type="checkbox"/> Yes, based on other information |
| <input type="checkbox"/> No                  | <input type="checkbox"/> Unknown                       |  |

h) Traffic avoidance advice issued

- |  |  |  |
|--|--|--|
| <input type="checkbox"/> Yes, based on radar | <input type="checkbox"/> Yes, based on visual sighting | <input type="checkbox"/> Yes, based on other information |
| <input type="checkbox"/> No                  | <input type="checkbox"/> Unknown                       |  |

i) Avoiding action taken

- |                              |                             |                                  |
|------------------------------|-----------------------------|----------------------------------|
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> Unknown |
|------------------------------|-----------------------------|----------------------------------|

4. Distance

- a) Closest horizontal distance.....  
b) Closest vertical distance.....

\* Delete as appropriate

5. Flight weather condition

- a) IMC/VMC\*
- b) Above/below\* clouds/fog/haze or between layers\*
- c) Distance vertically from cloud                      m/ft\* below                      m/ft\* above
- d) In cloud/rain/snow/sleet/fog/haze\*
- e) Flying into/out of\* sun
- f) Flight visibility                      m/km\*

6. Any other information considered important by the pilot-in-command

---

---

---

---

---

---

D – MISCELLANEOUS

1. Information regarding reporting aircraft

- a) Aircraft registration \_\_\_\_\_
- b) Aircraft type \_\_\_\_\_
- c) Operator \_\_\_\_\_
- d) Aerodrome of departure \_\_\_\_\_
- e) Aerodrome of first landing \_\_\_\_\_ destination \_\_\_\_\_
- f) Reported by radio or other means to \_\_\_\_\_ (name of ATS unit) at time \_\_\_\_\_ UTC
- g) Date/time/place of completion of form \_\_\_\_\_

2. Function, address and signature of person submitting report

- a) Function \_\_\_\_\_
- b) Address \_\_\_\_\_
- c) Signature \_\_\_\_\_
- d) Telephone number \_\_\_\_\_

3. Function and signature of person receiving report

- a) Function \_\_\_\_\_
- b) Signature \_\_\_\_\_

E – SUPPLEMENTARY INFORMATION BY ATS UNIT CONCERNED

1. Receipt of report

- a) Report received via AFTN/radio/telephone/other (specify)\* \_\_\_\_\_
- b) Report received by \_\_\_\_\_ (name of ATS unit) \_\_\_\_\_

2. Details of ATS action

Clearance, incident seen (radar/visually, warning given, result of local inquiry, etc.)

---



---




---




---

**DIAGRAMS OF AIRPROX**

Mark passage of other aircraft relative to you, in plan on the left and in elevation on the right, assuming YOU are at the centre of each diagram. Include first sighting and passing distance.



VIEW FROM ABOVE



VIEW FROM ASTERN

\* Delete as appropriate

### Instructions for the completion of the Air Traffic Incident Report Form

***Item***

- A Aircraft identification of the aircraft filing the report.
- B An AIRPROX report should be filed immediately by radio.
- C1 Date/time UTC and position in bearing and distance from a navigation aid or in LAT/LONG,
- C2 Information regarding aircraft filing the report, tick as necessary.
- C2 (c) E.g. FL 350/1 013 hPa or 2 500 ft/QNH 1 007 hPa or 1 200 FT/QFE 998 hPa.
- C3 Information regarding the other aircraft involved.
- C4 Passing distance - state units used.
- C6 Attach additional papers as required. The diagrams may be used to show aircraft's positions.
- D1 (f) State name of ATS unit and date/time in UTC.
- D1 (g) Date and time in UTC.
- E2 Include details of ATS unit such as service provided, radiotelephony frequency, SSR codes assigned and altimeter setting. Use diagram to show the aircraft's position and attach additional papers as required.