

GEN 3.2 AERONAUTICAL CHARTS

1. Responsible services

The Civil Aviation Authority of the state of Israel (CAAI), provides a wide range of aeronautical charts for use by all types of civil aviation. Charts, suitable for preflight planning and briefing, are available for reference at the CAAI eAIP: Israel eAIP; and also at aerodrome AIS units, (AIS addresses can be found in GEN 3.1). The charts are produced in accordance with the provisions contained in Annex 4 — Aeronautical Charts. Differences to these provisions are detailed in subsection GEN 1.7.

2. Maintenance of charts

2.1. The aeronautical charts included in the AIP are kept up to date by amendments to the AIP. Information concerning the planning for or issuance of new maps and charts is notified, when applicable, by Aeronautical Information Circular.

2.2. If incorrect information detected on published charts is of operational significance, it is corrected by NOTAM.

3. Purchase arrangements

The charts as listed under 5. of this subsection may be obtained either from:

Israel Online eAIP at, (Free of charge):

Israel eAIP,

Or from:

Gideon Dan Cartography Design Studio

Sapir Center, Building 3

Givat Shaul I.Z

Jerusalem 95464

Israel

TEL: 972 2 6520464

WEB: WWW.STUDIO-DAN.BIZ

4. Aeronautical chart series available

4.1. The following series of aeronautical charts are produced or will be produced in the future:

- a) Aerodrome/Heliport Chart — ICAO;
- d) Aerodrome Ground Movement Chart — ICAO;
- c) Aircraft Parking/Docking Chart — ICAO;
- d) Aerodrome Obstacle Chart — ICAO — Type A (for each runway);
- e) En-route Chart — ICAO;
- f) Area Chart — ICAO;
- g) Standard Departure Chart — Instrument (SID) — ICAO;
- h) Standard Arrival Chart — Instrument (STAR) — ICAO;

- i) Instrument Approach Chart — ICAO (for each runway and procedure type);
- j) Visual Approach Chart — ICAO.

The charts currently available are listed under 5. of this subsection.

4.2. General description of each series:

- a) *Aerodrome/Heliport Chart* — ICAO. This chart contains detailed aerodrome/heliport data to provide flight crews with information that will facilitate the ground movement of aircraft:

— from the aircraft stand to the runway; and

— from the runway to the aircraft stand;

and helicopter movement:

from the helicopter stand to the touchdown and lift-off area and to the final approach and takeoff area;

— from the final approach and take-off area to the touchdown and lift-off area and to the helicopter stand;

— along helicopter ground and air taxiways; and

— along air transit routes.

It also provides essential operational information at the aerodrome/heliport.

- b) *Aerodrome Ground Movement Chart- ICAO*. This chart is produced for those aerodromes where, due to congestion of information, details necessary for the ground movement of aircraft along the taxiways to and from the aircraft stands and for the parking/docking of aircraft cannot be shown with sufficient clarity on the Aerodrome/Heliport Chart — ICAO.
- c) *Aircraft Parking/Docking Chart* — ICAO. This chart is produced for those aerodromes where, due to the complexity of the terminal facilities, the information to facilitate the ground movement of aircraft between the taxiways and the aircraft stands and the parking/docking of aircraft cannot be shown with sufficient clarity on the Aerodrome/Heliport Chart — ICAO or on the Aerodrome Ground Movement Chart — ICAO.
- d) *Aerodrome Obstacle Chart* — ICAO — Type A (operating limitations). This chart contains detailed information on obstacles in the take-off flight path areas of aerodromes.
It is shown in

plan and profile view. This obstacle information, in combination with an Obstacle Chart — ICAO — Type C, provides the data necessary to enable an operator to comply with the operating limitations of Annex 6, Parts I and II, Chapter 5.

- e) *Precision Approach Terrain Chart — ICAO.* This chart provides detailed terrain profile information within a defined portion of the final approach so as to enable aircraft operating agencies to assess the effect of the terrain on decision height determination by the use of radio altimeters. This chart is produced for all precision approach Cat II and III runways.
- f) *En-route Chart — ICAO.* This chart is produced for the entire Israel FIR. The aeronautical data include all aerodromes, prohibited, restricted and danger areas and the air traffic services system in detail. The chart provides the flight crew with information that will facilitate navigation along ATS routes in compliance with air traffic services procedures.
- g) *Area Chart — ICAO.* This chart is produced when the air traffic services routes or position reporting requirements are complex and cannot be shown on an En-route Chart — ICAO.

It shows, in more detail, those aerodromes that affect terminal routings, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will facilitate the following phases of instrument flight:

- the transition between the en-route phase and the approach to an aerodrome;
- the transition between the take-off/missed approach and the en-route phase of flight; and
- flights through areas of complex ATS routes or airspace structure.

- h) *ATC Surveillance Minimum Altitude Chart — ICAO.* This chart is supplementary to the Area Chart and provides information which will enable flight crews to monitor and cross-check altitudes assigned while under radar control.
- i) *Standard Departure Chart -- Instrument (SID) — ICAO.* This chart is produced whenever a standard departure route — instrument has been established and cannot be shown with sufficient clarity on the Area Chart — ICAO.
The aeronautical data shown include the aerodrome of departure, aerodrome(s) which affect the designated standard departure route — instrument, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will enable them to

comply with the designated standard departure route — instrument from the take-off phase to the en-route phase.

- j) *Standard Departure Route -- Visual.* This chart is produced whenever a standard departure route — Visual has been established. A standard departure route is aimed for controlled VFR flights which terminate at a significant point. The aeronautical data shown include the aerodrome of departure, aerodrome(s) which affect the designated standard departure, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will enable them to comply with the designated route, from the take-off phase to the en-route phase.
- k) *Standard Arrival Chart — Instrument (STAR) — ICAO.* This chart is produced whenever a standard arrival route — instrument has been established and cannot be shown with sufficient clarity on the Area Chart — ICAO.
The aeronautical data shown include the aerodrome of landing, aerodrome(s) which affect the designated standard arrival route — instrument, prohibited, restricted and danger areas and the air traffic services system. This chart provides the flight crew with information that will enable them to comply with the designated standard arrival route — instrument from the en-route phase to the approach phase.
- l) *Instrument Approach Chart — ICAO.* This chart is produced for all aerodromes used by civil aviation where instrument approach procedures have been established. A separate Instrument Approach Chart — ICAO has been provided for each approach procedure.
The aeronautical data shown include information on aerodromes, prohibited, restricted and danger areas, radio communication facilities and navigation aids, minimum sector altitude, procedure track portrayed in plan and profile view, aerodrome operating minima, etc.
This chart provides the flight crew with information that will enable them to perform an approved instrument approach procedure to the runway of intended landing including the missed approach procedure and where applicable, associated holding patterns.
- m) *Visual Approach Chart — ICAO.* This chart is produced for aerodromes used by civil aviation where:
 - only limited navigation facilities are available; or
 - radio communication facilities are not available; or
 - no adequate aeronautical charts of the aerodrome and its surroundings at 1:500,000 or greater scale are available; or

- visual approach procedures have been established.

The aeronautical data shown include information on aerodromes, obstacles, designated airspace, visual approach information, radio navigation aids and communication facilities, as appropriate.

		LLSD (VIS) KANER 1A, 1B LLSD (VIS) TOMAL 1A, 1B Eilat/Ilan & Assaf Ramon LLER (SID) RNAV (GNSS) RWY 01 NURIT 1G LLER (SID) RNAV (GNSS) RWY 19 NURIT 1K LLER (SID) RNAV (GNSS) RWY 19 NURIT 1J		Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 REF. GEN 0.4 REF. GEN 0.4
Standard Arrival Chart — Instrument (STAR) — ICAO*	1:150,000**	Ben-Gurion LLBG (STAR) RWY 08 SOLIN 2A, 2B LLBG (STAR) RWY 26,30 LIMKO 1 LLBG (STAR) RWY 12 GODED 1 LLBG (STAR) RWY 21 DIVLA 1A, 1B, VATAT 1A,1B LLBG (STAR) ILS RWY 21 TALMI A, SALAM A LLBG (STAR) RNAV RWY 21 TALMI B, SALAM B LLBG (STAR) RWY 26 DIVLA 1C, DIVLA 1D Sde-Dov LLSD (STAR) KONFO 1 LLSD (STAR) TOMAL 1	Part of the IAip and NOT sold separately	Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4
Instrument Approach Chart — ICAO* (IAC)	1:250,000**	Ovda LLOV VOR Y RWY 21R LLOV VOR Z RWY 21R Ben-Gurion LLBG ILS CAT I RWY 12 LLBG ILS CAT II RWY 12 LLBG VOR Y RWY 08 LLBG ILS RWY 08 LLBG LDA RWY 30 LLBG ILS Y RWY 26 LLBG ILS RWY 21 LLBG RNAV (GNSS) RWY 26 LLBG RNAV (GNSS) RWY 21 LLBG RNAV (GNSS) RWY 30 LLBG ILS X RWY 26 LLBG RNAV (RNP) RWY 30	Part of the IAip and NOT sold separately	Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4

		<p>Sde-Dov LLSD VOR RWY 03/21 (CLOUD BREAK) LLSD VOR DME RWY 21 Eilat/Ilan & Assaf Ramon LLER RNAV (GNSS) RWY 01 LLER RNAV (GNSS) RWY 19</p>		<p>Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4</p>
<p>Visual Approach Chart — ICAO* (VAC)</p>	1:250,000**	<p>Eilat LLET KITOR Y VISUAL RWY 21 LLET RODED VISUAL RWY 03 LLET DAKAR VISUAL RWY 03 LLET NESICHA VISUAL RWY 03 LLET KITOR VISUAL RWY 21 LLET VISUAL CIRCUIT CHART Haifa LLHA Visual Circuit Chart Ovda LLOV Visual Circuit Chart LLOV RONTA Visual RWY 21R LLOV MARGO Visual RWY 03L LLOV MORAN Visual RWY 21L LLOV ROMIE Visual RWY 03R Ben-Gurion LLBG NAMIM APCH RWY 21 LLBG SOSOT APCH RWY 30 LLBG Visual APCH chart Sde-Dov LLSD Visual circuit chart</p>	<p>Part of the IAip and NOT sold separately</p>	<p>Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4</p>
<p>Aerodrome/Heliport Chart — ICAO* (AC)</p>	1:10,000**	<p>Eilat LLET AERODROME CHART Haifa LLHA AERODROME CHART Ovda LLOV AERODROME CHART Ben-Gurion LLBG AERODROME CHART Sde-Dov LLSD AERODROME CHART Eilat/Ilan & Assaf Ramon</p>	<p>Part of the IAip and NOT sold separately</p>	<p>Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4</p>

		LLER AERODROME CHART		Ref. GEN 0.4
Aerodrome Ground Movement Chart — ICAO* (GMC)	1:20,000**	Ben-Gurion LLBG ground movement chart	NOT sold separately	Ref. GEN 0.4
Aircraft Parking/Docking Chart — ICAO* (APDC)	1:5,000**	Eilat LLET PARKING AND HOLDING POSITIONS CHART Haifa LLHA Aircraft Parking Chart LLHA Aircraft Parking Chart Apron G LLHA Aircraft Parking Chart Apron N Ovda LLOV Aircraft Parking Chart Ben-Gurion LLBG Aircraft parking/docking chart terminal 1 LLBG Aircraft parking/docking chart Apron V LLBG Aircraft parking chart - Terminal 3 LLBG Aircraft parking chart - Terminal 3 – Apron A Sde-Dov LLSD Aircraft Parking Chart Aprons A & N LLSD Aircraft Parking Chart Apron S LLSD Aircraft Parking Chart Apron T LLSD Aircraft Parking Chart Apron Y Eilat/Ilan & Assaf Ramon LLER Aircraft Parking Chart Apron U LLER Aircraft Parking Chart Apron R, S, T	Part of the IAip and NOT sold separately	Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4
Aerodrome Obstacle Chart — Type A — ICAO* (for each runway);	1:10,000**	Eilat LLET AERODROME OBSTACLE CHART – TYPE A RWY 03/21 Haifa LLHA AERODROME OBSTACLE CHART – TYPE A RWY 16/34 Ovda LLOV AERODROME OBSTACLE CHART – TYPE A RWY 03L/21R LLOV AERODROME OBSTACLE CHART – TYPE A RWY 03R/21L	Part of the IAip and NOT sold separately	Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4 Ref. GEN 0.4

		Ben-Gurion		
		LLBG AERODROME OBSTACLE CHART – TYPE A RWY 03/21		Ref. GEN 0.4
		LLBG AERODROME OBSTACLE CHART – TYPE A RWY 08/26		Ref. GEN 0.4
		LLBG AERODROME OBSTACLE CHART – TYPE A RWY 12/30		Ref. GEN 0.4
		Sde-Dov		
		LLSD AERODROME OBSTACLE CHART – TYPE A RWY 03/21		Ref. GEN 0.4

6. Index to the World Aeronautical Chart (WAC) - ICAO 1:1 000 000

The state of Israel is currently NOT publishing WAC chart and chart index. Please refer to GEN 1.7 - Difference from ICAO Standards, Recommended Practices and Procedures.

7. Topographical charts

To supplement the aeronautical charts, a wide range of topographical charts is available from:

Survey of Israel

Lincoln 1 St, Po. Box 14171

Tel Aviv 6522000.

TEL: ++972-3-6231969

Telefax: ++972-3-6231958

Telex: NIL

Email Address: aviayet@mapi.gov.il

AFS: NIL