

Procedure: LLBG RWY03 SID NAT1A

Navigation performance	path terminator (Recommended)	WPT Identifier	Lat./Long	Fly Over/By	Distance (NM)	Turn direction	Mag. Track (True)	Altitude (ft.)	Speed Limit (Kts)	Remarks
RNAV1	CF	GALGA	32° 09' 25.1" N 34° 59' 24.1" E	FB		L	025 (028.8)	+4000		
RNAV1	TF	NAT	32° 20' 02.0" N 34° 58' 08.0" E	FB	10.6		350 (354.2)	+5000		

Procedure: LLBG RWY08 SID NAT1B

Navigation performance	path terminator (Recommended)	WPT Identifier	Lat./Long	Fly Over/By	Distance (NM)	Turn direction	Mag. Track (True)	Altitude (ft.)	Speed Limit (Kts)	Remarks
RNAV1	CF	MAGEL	32° 02' 32.0" N 35° 03' 12.0" E	FO			076 (079.8)	+3000	-230	
RNAV1	DF	NAT	32° 20' 02.0" N 34° 58' 08.0" E	FB		L		+5000	-230	

Procedure: LLBG RWY12 SID NAT1D

Navigation performance	path terminator (Recommended)	WPT Identifier	Lat./Long	Fly Over/By	Distance (NM)	Turn direction	Mag. Track (True)	Altitude (ft.)	Speed Limit (Kts)	Remarks
RNAV1	CA						117 (121.4)	+600		
RNAV1	DF	GALGA	32° 09' 25.1" N 34° 59' 24.1" E	FB		L		+4000		
RNAV1	TF	NAT	32° 20' 02.0" N 34° 58' 08.0" E	FB	10.6		350 (354.2)	+5000		

Procedure: LLBG RWY21 SID PURLA2G

Navigation performance	path terminator (Recommended)	WPT Identifier	Lat./Long	Fly Over/By	Distance (NM)	Turn direction	Mag. Track (True)	Altitude (ft.)	Speed Limit (Kts)	Remarks
RNAV1	CA						205 (208.8)	+700	-210	
RNAV1	DF	MATOV	31° 59' 26.0" N 34° 45' 06.0" E	FB		R		+3000	-210	
RNAV1	TF	ORLEV	32° 01' 35.0" N 34° 38' 12.0" E	FB	6.2		286 (290.1)	-8000 +5000		
RNAV1	TF	TAPUZ	32° 01' 57.0" N 34° 31' 24.0" E	FB	5.8		270 (273.7)	+5000		
RNAV1	TF	PURLA	32° 02' 56.0" N 34° 13' 47.0" E	FB	15		270 (273.8)	+8000		